

JCOG Rec'd PCT/PTO 29 JUN 2005

Patent  
Attorney Docket No. 82318  
Customer No. 23685

PCT

TRANSMITTAL LETTER

Inventor: Heinz W. Stadelmann  
Serial No: 10/511,962  
Filed: 10-19-04

Confirmation No: 8438  
Group Art Unit: 1724  
Examiner: Unknown  
Batch:

Notice of Allowance:

For: STERILISATION SYSTEM, ESPECIALLY FOR STERILISING DRINKING WATER AND  
INDUSTRIAL WATER AND THE PRODUCTION AND USE OF SAID STERILISATION  
SYSTEM

Mail Stop Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:


Transmitted herewith for the above-identified patent application are the following:

A Request for Correction of Filing Receipt  
An annotated copy of Corrected Filing Receipt dated April 11, 2005  
A copy of PCT/IPEA/424 from PCT/EP03/03917  
A return postcard

The item(s) marked below are appropriate:


1. ☐ Applicant(s) hereby petition(s) for a ( ) month extension of time to respond to.
2. ☒ Please charge any fees or costs not accounted for to Deposit Account No. 11-1755.


Date: June 27, 2005

  
Edward M. Kriegsman  
Reg. No. 33,529

KRIEGSMAN & KRIEGSMAN  
665 Franklin Street  
Framingham, MA 01702  
(508) 879-3500

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on June 27, 2005

  
Edward M. Kriegsman



PATENT  
Attorney Docket No. 82318

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Heinz W. Stadelmann

Serial No: 10/511,962

Filed: October 19, 2004

For: STERILISATION SYSTEM,  
ESPECIALLY FOR STERILISING  
DRINKING WATER AND INDUSTRIAL  
WATER AND THE PRODUCTION  
AND USE OF SAID STERILISATION  
SYSTEM

Group Art Unit: 1724

Examiner: Unknown

Confirmation No.: 8438

Mail Stop Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

REQUEST FOR CORRECTION OF FILING RECEIPT


Enclosed herewith please find a copy of a Filing Receipt dated April 11, 2005, for the above-identified application. Applicant has annotated the copy of the Filing Receipt to reflect that the Applicant's name should read "Heinz W. Stadelmann" instead of "Heinz W Stadelmann." Applicant has also annotated the copy of the Filing Receipt to reflect that the filing date of the PCT application identified in the Domestic Priority data section should read "04/15/2003" instead of "04/17/2003". A copy of PCT/IPEA/424 from PCT/EP03/03917 is also enclosed herewith to confirm that the correct filing date for the subject PCT application is 4/15/2003, not 4/17/2003.

If there are any fees due in connection with the filing of this paper that are not accounted for, the Examiner is authorized to charge the fees to our Deposit Account No. 11-1755. If a fee is required for

an extension of time under 37 C.F.R. 1.136 that is not accounted for already, such an extension of time is requested and the fee should also be charged to our Deposit Account.


Respectfully submitted,

KRIEGSMAN & KRIEGSMAN

By:   
Edward M. Kriegsman  
Reg. No. 33,529  
665 Franklin Street  
Framingham, MA 01702  
(508) 879-3500

Date: June 27, 2005

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on June 27, 2005

  
Edward M. Kriegsman



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/511,962	10/19/2004	1724	697	82318	4	16	1


CONFIRMATION NO. 8438

23685  
 KRIEGSMAN & KRIEGSMAN  
 665 FRANKLIN STREET  
 FRAMINGHAM, MA 01702

## FILING RECEIPT



\*OC000000015705610\*



Date Mailed: 04/11/2005

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please mail to the Commissioner for Patents P.O. Box 1450 Alexandria Va 22313-1450. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s) W.  
 Heinz ~~W~~ Stadelmann, Weitbruch, FRANCE;

Power of Attorney: The patent practitioners associated with Customer Number 23685.

Domestic Priority data as claimed by applicant 04/15/2003  
 This application is a 371 of PCT/EP03/03917 ~~04/17/2003~~

## Foreign Applications

GERMANY 10217649.3 04/19/2002

Projected Publication Date: 07/21/2005

Non-Publication Request: No

Early Publication Request: No

\*\* SMALL ENTITY \*\*

## Title

Sterilisation system, especially for sterilising drinking water and industrial water and the production and use of said sterilisation system

**Preliminary Class**

210

---

**LICENSE FOR FOREIGN FILING UNDER  
Title 35, United States Code, Section 184  
Title 37, Code of Federal Regulations, 5.11 & 5.15**

**GRANTED**

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

**NOT GRANTED**

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

# VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS

Abender: DIE MIT DER INTERNATIONALEN VORLÄUFIGEN  
PRÜFUNG BEAUFTRAGTE BEHÖRDE

**PCT**

An  
Mammel, Ulrika  
MAMMEL & MASER  
Tilsiter Str. 3  
D-71065 Sindelfingen  
ALLEMAGNE

+ 49 7031 8194455 - 4 seiten -

MITTEILUNG FÜR DIE KEIN BESÖNDERES  
FORMBLATT VORGESEHEN IST

*Fax im voraus!*

Aktenzeichen des Anmelders oder Anwalt 54318	Absenddatum (Tag/Monat/Jahr) 24-09-2004
Internationales Aktenzeichen PCT/EP03/03917	ANTWORT FÄLLIG Siehe Punkt 1 unten
Anmelder STADELMANN, Heinz W.	Internationales Anmeldedatum (Tag/Monat/Jahr) 15/04/2003

1. ☐ ANTWORT FÄLLIG innerhalb von \_\_\_\_\_ Monaten / Tagen ab obigem Absenddatum  
☐ KEINER ANTWORT FÄLLIG

## 2. MITTEILUNG

Sehr geehrte Frau Mammel,

Mit bezug auf Ihren Schreiben von 08.09.04, haben wir das Anmeldedatum geändert in 15.04.03.

Eine Kopie von den internationalen vorläufigen Prüfungsbericht mit Anmeldedatum haben wir zum WIPO geschickt.

Wir bitten Sie um Entschuldigung.

Mit freundlichen Grüßen,

Name und Postanschrift der mit der internationalen vorläufigen  
Prüfung beauftragten Behörde



Europäisches Patentamt, P.B. 5818 Patenthaus 2  
NL-2280 HV Rijswijk - Niederlande  
Tel.: (+31-70) 340-2040  
Fax: (+31-70) 340-3016

Besoldigter Bediensteter

SMITS A M

*Signature of SMITS A M*

